


# IKARUS

260 263 280 283 256 256.44




**Classic Line**



**260**

Doors 2-2-2 / 2-0-2




**263**

Doors 2-2-2 / 2-0-2




**280**

Doors 2-2-2-2 / 2-0-2-0




**283**

Doors 2-2-2-2 / 2-0-2-0



**256**

Doors 1-0-1



**256.44**

Doors 2-2-0 / 2-2-1

Length,mm	11000	Front approach(°)	10.0	Gross veh. weight (kg)*	17500
Width,mm	2500	Rear approach(°)	7.5	Axle load max.A (kg)*	6500
Height,mm	3160	Clear height,mm	350	Axle load max.B (kg)*	11000
Wheel base,mm	5400	Step height,mm	390	Axle load max.C (kg)*	
Front overhang,mm	2460	Floor height,mm	920	Tyre size	11.00 R 20
Back overhang,mm	3140	Indoor height,mm	2060	Outer diam.of turning circle,mm	24000
Seat capacity*	20 - 42	Standing places*	30 - 38		

Length,mm	11940	Front approach(°)	9.1	Gross veh. weight (kg)*	18700
Width,mm	2500	Rear approach(°)	7.9	Axle load max.A (kg)*	7200
Height,mm	3160	Clear height,mm	340	Axle load max.B (kg)*	11500
Wheel base,mm	5840	Step height,mm	360	Axle load max.C (kg)*	
Front overhang,mm	2710	Floor height,mm	920	Tyre size	11.00 R 20
Back overhang,mm	3390	Indoor height,mm	2060	Outer diam.of turning circle,mm	24000
Seat capacity*	22 - 52	Standing places*	41 - 99		

Length,mm	16500	Front approach(°)	10.0	Gross veh. weight (kg)*	24500
Width,mm	2500	Rear approach(°)	10.0	Axle load max.A (kg)*	6500
Height,mm	3160	Clear height,mm	350	Axle load max.B (kg)*	11000
Wheel base,mm	5400 + 6200	Step height,mm	390	Axle load max.C (kg)*	7000
Front overhang,mm	2460	Floor height,mm	920	Tyre size	12.00 R 22.5
Back overhang,mm	2440	Indoor height,mm	2060	Outer diam.of turning circle,mm	24000
Seat capacity*	30 - 52	Standing places*	70 - 116		

Length,mm	17975	Front approach(°)	9.1	Gross veh. weight (kg)*	28000
Width,mm	2500	Rear approach(°)	7.9	Axle load max.A (kg)*	6900
Height,mm	3160	Clear height,mm	340	Axle load max.B (kg)*	9600
Wheel base,mm	5400 + 6475	Step height,mm	360	Axle load max.C (kg)*	11500
Front overhang,mm	2710	Floor height,mm	920	Tyre size	11.00 R 20
Back overhang,mm	3390	Indoor height,mm	2060	Outer diam.of turning circle,mm	24000
Seat capacity*	29 - 68	Standing places*	45 - 125		

Length,mm	10990	Front approach(°)	10.0	Gross veh. weight (kg)*	17500
Width,mm	2500	Rear approach(°)	7.5	Axle load max.A (kg)*	6500
Height,mm	3160	Clear height,mm	350	Axle load max.B (kg)*	11000
Wheel base,mm	5330	Step height,mm	390	Axle load max.C (kg)*	
Front overhang,mm	2460	Floor height,mm	920	Tyre size	11.00 R 20
Back overhang,mm	3180	Indoor height,mm	2060	Outer diam.of turning circle,mm	24000
Seat capacity*	27 - 40	Standing places*	32 - 36		

Length,mm	11990	Front approach (°)	9.0	Gross veh. weight (kg)*	18000
Width,mm	2500	Rear approach (°)	7.0	Axle load max.A (kg)*	6500
Height,mm	3160	Clear height,mm	350	Axle load max.B (kg)*	11500
Wheel base,mm	6080	Step height,mm	360	Axle load max.C (kg)*	
Front overhang,mm	2710	Floor height,mm	920	Tyre size	295/80 R 22.5
Back overhang,mm	3200	Indoor height,mm	2060	Outer diam.of turning circle,mm	24000
Seat capacity*	26 - 47	Standing places*	40 - 72		

\* Technical data are subject to change according to the customer's requests and respective regulations in the destination country.

# IKARUS

# Classic Line

		260	263	280	283	256	256.44
<b>ENGINE</b>							
DAF GS	EURO 2	○	○	○	○	○	○
RÁBA D10	EURO 2	●	●	●	●	●	●
MAN 0826	EURO 2	○	○	○	○	○	○
MAN 2866	EURO 2	★	★	★	★	★	★
MERCEDES OM - 447	EURO 2	★	★	★	★	★	★
DETROIT DIESEL	EURO 2	—	—	—	—	—	●
<b>GEARBOX</b>							
ZF S6	MANUAL	●	●	●	●	●	●
ZF ECOMAT	AUTOMATIC	○	○	○	○	○	○
VOITH DIWA	AUTOMATIC	○	○	○	○	○	○
<b>FRONT AXLE</b>							
RÁBA		●	●	●	●	●	●
ZF		★	★	★	★	★	★
LIAZ		○	○	○	○	○	○
<b>FREE RUNNING AXLE</b>							
RÁBA		—	—	●	●	—	—
ROCKWELL		—	—	★	★	—	—
ZF		—	—	★	★	—	—
LIAZ		—	—	★	—	—	—
<b>DRIVEN AXLE</b>							
RÁBA		●	●	●	●	●	●
ROCKWELL		★	★	★	★	★	★
ZF		○	○	○	○	○	○
<b>OPTIONS</b>							
ABS		○	○	○	○	○	○
ASR		○	○	○	○	○	○
Heatinsulated side windows "THERMOPAN"		○	○	○	○	○	○
Air-conditioning (for the driver)		★	★	★	★	★	★
Air-conditioning		★	★	★	★	★	★
External preheating		★	★	★	★	★	★
Wheel-chair lift/ ramps		★	★	★	★	—	★
Special paintwork		○	○	○	○	○	○
Tinted windows		○	○	○	○	○	○
Textile trimmed inside panels		○	○	○	○	○	○
Textile trimmed passenger seats		○	○	○	○	○	○
Hard plated passenger seats		○	○	○	○	○	○
Electronic destination equipment		○	○	○	○	○	○

● Serial      ○ Option      ★ Production under preparation  
 — Not possible      □ Depending on chassis type